

CLASSIFIED MESSAGE

CONFIDENTIAL

UNIT :
EXT :
DATE : 20 Feb 70

TO : AIG 7840; [REDACTED] FT MEADE, MD;
FROM : NPIC

CONF :

INFO :

| | | |
|---|--|---|
| 1 | | 4 |
| 2 | | 5 |
| 3 | | 6 |

2023502

| DEFERRED | PRIORITY | INITIALS |
|-------------------------------------|--------------------------|----------|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| ROUTINE | OPERATIONAL IMMEDIATE | INITIALS |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

OUT 69397

TO : SEE ABOVE

INFO

CONFIDENTIAL

CITE NPIC 8037

COORDINATING OFFICERS

CONFIDENTIAL

OTHER THAN THE ISSUING OFFICE IS PROHIBITED. Copy No.
Signal Center Transmission Copy - DO NOT DETACH - Forward with Master

40975
2021202
pin

CONFIDENTIAL
CLASSIFICATION

ORIG:
UNIT:
EXT :
DATE: 20 February 70

PAGE 1 OF 2

25X1

1
C O N F I D E N T I A L
17 28 34
SECTION OF SECTIONS
1 14 25 32 43
SUPIR: CA SER: 000347 PRJ: YE MSN: 00446J DTZ: 700129H
~~XXXX~~

DAY PHOTO. CAMERA ON 0540Z, OFF 0548Z. CAMERA TYPES ARE KA-66
PAN AND KA-53 VERT. REF. CTG 77.4 IPIR, SER. NH0020, DTG
291746Z JAN 70. THIS MESSAGE SUPPLEMENTS INFORMATION CONTAINED
IN REF.

PART I. ~~MISSION SIGNIFICANCE~~
NONE

PART II. SIGNIFICANT RESULTS
~~NONE~~

B. NEW ITEMS

RELEASING OFFICER

AUTHENTICATING OFFICER

CONFIDENTIAL
CLASSIFICATION

#25

CONFIDENTIALCLASSIFICATIONPAGE 2 OF 2

1
ITM001 [] 22 CA [] CHANNEL GUIDES HOUAY NAMXE (RIVER)
3 16 31 44 52 54
[] REQ: CTY: LA 165245N 1063000E INT: FPV CL W
14 27 39
URG: SIR: IFR: UTM: 48QXD597666

STA: OPR

DES: A SERIES OF CHANNEL GUIDES FOR FLOATING SUPPLIES HAVE BEEN

CONSTRUCTED IN THE HOUAY NAMXE (RIVER) FROM A POINT WITHIN THE

DMZ WEST INTO LAOS BETWEEN 16-53-20N 106-34-40E (UTM XD680678)

AND 16-53-45N 106-26-50E (XD540683), THE LIMITS OF PHOTOGRAPHIC

COVERAGE. THESE CHANNELING DEVICES CONSIST OF LENGTHS OF BAMBOO/

✓ ROPE STRUNG AT INTERVALS WITHIN THE RIVER AND GENERALLY PARALLELING

THE RIVER BANK, IN SOME AREAS ALONG ONE BANK AND AT OTHERS ALONG

BOTH. THE APPARENT PURPOSE OF THE CHANNEL GUIDES IS TO MAINTAIN

THE FLOW OF SUPPLIES BEING FLOATED WEST FROM THE DMZ BY

RESTRICTING THEIR PASSAGE TO UNOBSTRUCTED CHANNELS. POLES PLACED

BETWEEN THE GUIDES AND THE BANKS, AS WELL AS STAKES DRIVEN INTO

THE RIVERBED, ARE USED TO STABILIZE THE GUIDES. THESE GUIDES

ARE PARTICULARLY NOTICEABLE AT BENDS IN THE RIVER, NEAR SANDBARS,

OR IN AREAS WHERE THE WATER IS SHALLOW.

[]
MPR: AMS SERIES L7014, SHEETS 6342-IV, 6242-I

EOM

GP-1

CONFIDENTIALCLASSIFICATION